




**BOSS DEFROST**

User Manual

# BOSS DEFROST | Product Dimensions



## Ordering Information

[www.bossdefrost.com/order](http://www.bossdefrost.com/order)

#Case  
Pkg.  
1

Included:  
3" Stainless Steel  
Sanitation Brush

Product  
Weight  
3.2 LBS


Overall  
Dimensions  
17.5" x 9.5"




@bossdefrost

P.O. Box  
40421 Denver, CO  
80204



# Assembly




Thread the lid clockwise into the appliance base until tight.



Thread the gooseneck coupler into the top of the appliance base until tight.



# Use




**Step 1:** Place sealed frozen food and BOSS DEFROST in basin.


**Step 2:** Fill basin until both the base of the BOSS DEFROST and food are submerged in water 70°F/ 20°C or below.



**Step 3:** Plug BOSS DEFROST into a GFCI outlet. Leave BOSS DEFROST plugged in for the duration of the thawing cycle. Unplug when food is thawed.



# Clean & Sanitize



**Daily Clean:** Plug in BOSS DEFROST and move it through a 3-sink cleaning method: warm, soapy water; rinse; sanitizer solution. Then air dry.

**Deep Clean:** Use the stainless steel brush to clean and sanitize all components of the BOSS DEFROST. The brush is designed to deep clean the gooseneck faucet and all other components.

# How to Use

When using BOSS DEFROST, always make sure the AC cord is plugged into a GFCI outlet at least 2 feet away from where you are defrosting.

Clean and sanitize BOSS DEFROST after each use.

When in use, always secure BOSS DEFROST's suction cups. They bond to the bottom of the sink or basin and stabilize the appliance.

Do not put any food or object underneath the appliance. This specific area must be clear to allow water to flow through BOSS DEFROST properly.

# How to Use

Before operating the BOSS DEFROST, fill the sink/basin to the FILL LINE indicated on the appliance.

Check water temperature on the thermometer. This is located on top of your BOSS DEFROST. For safe food thawing, water temperature must remain below 70°F throughout the task.

Monitor water temperature throughout the defrosting cycle.

While using BOSS DEFROST food must remain in a sealed, watertight package.

# Safety

This product, as any electrical device if used improperly, has the potential of causing shock or personal injury. To help ensure accident-free operation, please follow these guidelines:

- Appliance **MUST** be plugged into a GFCI outlet that is installed in accordance with all appropriate codes and ordinances.

- DO NOT** operate appliance if malfunctioning or appears to be damaged.

- DO NOT** use appliance for anything other than its intended use.

- DO NOT** operate appliance without adequate water filled to the **FILL LINE** indicated on appliance.

- Do NOT** handle plug with wet hands or in a wet environment.

- Cook food immediately after the food is defrosted.